



SUCTION LIFTER

**POWER**  
*Sucker*

Cover image is for marketing purposes only and is not a recommended use for any of these products. At no time should **POWER**Suckers be used to hold a person on to a glass pane. Please allow us our artistic license but do not use for any other purpose other than the intended use. ALWAYS observe the maximum load limits.

# POWER *Sucker*

## **POWER**Sucker – our high-performance suction lifter

Incredible suction power combined with a powerful carrying capacity of 100 kg – these are our new OnLevel Power Suckers. The only true suction lifter for gastight materials. And the best is yet to come... It can be easily transported in its sexy small black carrying case. With its net weight of only 1.9 kg, it can hardly be surpassed in lightness and its Ø 200 mm suction pad is searching for its match. Are you looking for parallels? That´s impossible. Carrying in parallel is not a problem though. The red ring at the pump tappet warns you in case of a loss of suction power – true to the “Safety First” motto.

---

### **Essential Features**

- | Carrying capacity of up to 100 kg
- | Net weight of only 1.9 kg
- | Practical carrying case included in delivery
- | Ø 200 mm suction pad



# POWERSUCKER | SUCTION LIFTER

---

## PowerSucker, black



- | Carrying capacity of 100 kg
- | Plastic handle
- | Lifting direction: parallel
- | 1.9 kg net weight
- | Ø 203 mm suction pad
- | Carrying case included in delivery

PowerSucker		
Diameter	Carrying capacity	Art. no.
Ø 203 mm	100 kg	90.0100.180.08

---

## PowerSucker, metallic



- | Carrying capacity of 100 kg
- | Metal handle
- | Lifting direction: parallel
- | 1.9 kg net weight
- | Ø 203 mm suction pad
- | Carrying case included in delivery

PowerSucker		
Diameter	Carrying capacity	Art. no.
Ø 203 mm	100 kg	90.0100.180.10

---

## PowerSucker, double



- | Carrying capacity of 50 kg
- | Two suction pads
- | Levers for generating the appropriate vacuum
- | 1.9 kg net weight
- | Ø 118 mm per suction pad
- | Carrying case included in delivery

PowerSucker		
Diameter	Carrying capacity	Art. no.
Ø 118 mm	50 kg	90.0100.180.12

---

# ONLEVEL

**ONLEVEL Ltd.** | Units 6 & 7, Alexandria Court | Alexandria Drive  
Ashton Commerce Park | Ashton-under-Lyne | Lancashire OL7 0QN | United Kingdom  
T +44 0161 804 9500 | F +44 0161 804 9505 | [info@onlevel-uk.com](mailto:info@onlevel-uk.com) | [www.onlevel.com](http://www.onlevel.com)